



Sir Safety System S.p.A. Single-member company Wholly-owned subsidiary of Sir Holding Srl Via dei Fornaciai, 9 - Santa Maria degli Angeli 06081 Assisi - Perugia - Italy Tel.+39 075.8043737 (R.A.) - Fax +39 075.8048686 VAT Nr. IT 03359340548 Viale Europa 74 20090 Cusago Milano Tel. +39 02.90394575 (R.A.) Fax +39 02.90394441 export@sirsafety.com www.sirsafety.com

COMPANY WITH QUALITY SYSTEM CERTIFIED BY DNV GL = ISO 9001 =



Name: Bilsom Compact C1F Earmuffs Code: 51141 Ear Muffs

Foldable pocket-sized earmuffs. Lightweight and practical. Weight: 190 g. Height adjustable earmuffs, available with case.

SNR 26 dB

Hertz frequency: H Attenuation = 25 Hertz frequency: M Attenuation = 24 Hertz frequency: L Attenuation = 19

Freq.(Hz)/Attenuation Med./Dev. standard/Value APV:63/12.8/4.0/8.8; Freq.(Hz)/Attenuation Med./Dev. standard/Value APV:125/14.9/3.8/11.1; Freq.(Hz)/Attenuation Med./Dev. standard/Value APV:250/24.2/3.8/20.4; Freq.(Hz)/Attenuation Med./Dev. standard/Value APV:500/27.7/2.6/25.1; Freq.(Hz)/Attenuation Med./Dev. standard/Value APV:1000/25.2/2.1/23.1; Freq.(Hz)/Attenuation Med./Dev. standard/Value APV:2000/28.6/2.9/25.7; Freq.(Hz)/Attenuation Med./Dev. standard/Value APV:4000/29.3/3.4/25.9; Freq.(Hz)/Attenuation Med./Dev. standard/Value APV:8000/28.7/4.2/24.5;

The product is designed and manufactured to comply with the essential health and safety requirements of Directive 89/686/EEC, and to conform to the requirements of EN 352. It is classified as PPE Cat. II.



Category II	Colours Light Blue - Black	Available Sizes Unica
Quantity/Carton	Important Information  Make sure the device is in good condition before	Recommended for For use in noisy environments, such as
10	use. Once you become aware of a damage, you should immediately replace it.	mechanical, engineering and steel industry, foundries, shipyards, airports, construction work sites, logistics and agriculture.
Dexterity	EC Standards	Storage and cleaning
	EN 352 CE	Keep in a cool dry place, far from heat sources. Clean with a damp cloth and soapy water. Do not use any solvents.