



Sir Safety System S.p.A. Single-member company Wholly-owned subsidiary of Sir Holding Srl Via dei Fornaciai, 9 - Santa Maria degli Angeli 06081 Assisi - Perugia - Italy Tel.+39 075.8043737 (R.A.) - Fax +39 075.8048686 VAT Nr. IT 03359340548 Viale Europa 74 20090 Cusago Milano Tel. +39 02.90394575 (R.A.) Fax +39 02.90394441 export@sirsafety.com www.sirsafety.com

COMPANY WITH QUALITY SYSTEM CERTIFIED BY DNV GL = ISO 9001 =



Name: Stark 9 Earmuffs Code: 51195 Ear Muffs

Description

Suitable for high noise level environments, even in the aviation industry. Shaped, wide steel headband, ensuring stability and making it comfortable to be used for long periods.

SNR 32 dB

Hertz frequency: H Attenuation = 33 Hertz frequency: M Attenuation = 30 Hertz frequency: L Attenuation = 23

Freq.(Hz)/Attenuation Med./Dev. standard/Value APV:125/18.5/2.6/15.9;

Freq.(Hz)/Attenuation Med./Dev. standard/Value APV:250/22.6/1.5/21.1;

Freq.(Hz)/Attenuation Med./Dev. standard/Value APV:500/30.4/1.7/28.7;

Freq.(Hz)/Attenuation Med./Dev. standard/Value APV:1000/40.3/2.2/38.1;

Freq.(Hz)/Attenuation Med./Dev. standard/Value APV:1000/40.3/2.2/36.1, Freq.(Hz)/Attenuation Med./Dev. standard/Value APV:2000/32.8/2.7/30.1;

Freq.(Hz)/Attenuation Med./Dev. standard/Value APV:4000/40.6/2.7/37.9;

Freq.(Hz)/Attenuation Med./Dev. standard/Value APV:8000/35.6/3.6/32.0;

The product is designed and manufactured to comply with the essential health and safety requirements of Directive 89/686/EEC, and to conform to the requirements of EN 352. It is classified as PPE Cat. II.



| Category | Colours | Available Sizes |
|-----------------|---|--|
| II | Black - Red | Unica |
| Quantity/Carton | Important Information | Recommended for |
| 20 | Make sure the device is in good condition before use. Once you become aware of a damage, you should immediately replace it. | For use in noisy environments, even in the aviation industry. |
| Dexterity | EC Standards | Storage and cleaning |
| | EN 352 CE | Keep in a cool dry place, far from heat sources. Clean with a damp cloth and soapy water. Do not use any solvents. |