

Sir Safety System S.p.A. Single-member company
Wholly-owned subsidiary of Sir Holding Srl
Via dei Fornaciaci, 9 - Santa Maria degli Angeli
06081 Assisi - Perugia - Italy
Tel.+39 075.8043737 (R.A.) - Fax +39 075.8048686

VAT Nr. IT 03359340548
Viale Europa 74
20090 Cusago Milano
Tel. +39 02.90394575 (R.A.)
Fax +39 02.90394441

export@sirsafety.com
www.sirsafety.com

COMPANY WITH
QUALITY SYSTEM
CERTIFIED BY DNV GL
= ISO 9001 =



Name: Fustian Short Jacket	Code: 31205V	Fustian Winter Series
-----------------------------------	---------------------	------------------------------

Description

Short jacket in sanforized fustian 100% cotton, weight 350 g/m². It features six button concealed closure, chest pockets with flap and button closure, buttoned cuffs and jointed double seams.
Mechanical safety pictogram.

- The fustian range is characterized by comfort, robustness and outstanding thermal properties.
- The structure of the fabric and the finishing such as the reinforced runners and jointed triple seams in contrasting colour, assure long-lasting use and high quality.
- Wide range of colours available.
- Several types of reflective stripes can be applied on all garments: yellow prismatic, orange prismatic, grey prismatic, grey classic.

Protection against risks of dirt and detrimental actions of slight damage.

The product is designed and manufactured to comply with the requirements of Directive 89/686/EEC.
It is classified as PPE Cat. I.



Category I	Colours Green	Available Sizes 44-64
Quantity/Carton 20	Important Information Keep in a cool dry place, far from heat sources and direct light. Make sure the garment is in good condition, undamaged and clean before use. Once you become aware of a damage, you should immediately replace it.	Recommended for Outdoor activities, Marble cutters, Construction, Logistics, Transport, Plumbing, Electrical work, Maintenance, Agriculture, Landscaping and gardening
Dexterity	EC Standards EN ISO 13688	Storage and cleaning We recommend to follow the washing instructions. 