

Sir Safety System S.p.A. Single-member company Wholly-owned subsidiary of Sir Holding Srl Via dei Fornaciai, 9 - Santa Maria degli Angeli 06081 Assisi - Perugia - Italy Tel.+39 075.8043737 (R.A.) - Fax +39 075.8048686 VAT Nr. IT 03359340548 Viale Europa 74 20090 Cusago Milano Tel. +39 02.90394575 (R.A.) Fax +39 02.90394441 export@sirsafety.com of www.sirsafety.com

Extreme Temperatures Series

COMPANY WITH QUALITY SYSTEM CERTIFIED BY DNV GL = ISO 9001 =



Name: Freezer Jacket

Code: 34178

Description

Cold resistant jacket in 100% 420D Oxford nylon fabric with padding in Thinsulate 3M 350 g/m², in combination with the bib-trousers it is certified for protection against low temperatures down to -60°C. Jacket with concealed two-way zipper closure with buttons, drawstring waist, chest pockets, pocket on left sleeve with velcro, frog closure on collar with double velcro. Side pockets with flaps and velcro, inner pocket, collar with fleece lining, elastic knitted cuffs, detachable padded hood with drawstring, small visor.

- The Freezer series guarantees thermal protection at the highest levels.

- Freezer is certified for low temperatures down to -60°C.

- Its lightness and softness support its use without limiting the dynamism of the user.

- Complete range with Jacket, Coverall and Bib-Trousers.

The product is designed and manufactured to comply with the essential health and safety requirements of Directive 89/686/EEC, and to conform to the requirements of European standards EN 342. It is classified as PPE Cat. II.



Category	Colours	Available Sizes
III	Blue	S-3XL
Quantity/Carton	Important Information	Recommended for
5	Keep in a cool dry place, far from heat sources and direct light. Make sure the garment is in good condition, undamaged and clean before use. Once you become aware of a damage, you should immediately replace it.	Agribusiness, Pharmaceutical, Logistics, Maintenance and installation , Fish industry, Outdoor work.
Dexterity	EC Standards	Storage and cleaning
	EN 342 CE	We recommend to follow the washing instructions.
	*	$X \odot X \odot X$