

Sir Safety System S.p.A. Single-member company
Wholly-owned subsidiary of Sir Holding Srl
Via dei Fornaciaci, 9 - Santa Maria degli Angeli
06081 Assisi - Perugia - Italy
Tel.+39 075.8043737 (R.A.) - Fax +39 075.8048686

VAT Nr. IT 03359340548
Viale Europa 74
20090 Cusago Milano
Tel. +39 02.90394575 (R.A.)
Fax +39 02.90394441

export@sirsafety.com
www.sirsafety.com

COMPANY WITH
QUALITY SYSTEM
CERTIFIED BY DNV GL
= ISO 9001 =



Name: Stark 1 Earmuffs	Code: 51191	Ear Muffs
-------------------------------	--------------------	------------------

Description

The earmuffs feature hypoallergenic polyurethane cushions with a large contact surface. It is height adjustable, the smallest of the Stark range, suitable for low noise level environments. Weight: 215 g.

SNR 28 dB

Hertz frequency: H Attenuation = 33

Hertz frequency: M Attenuation = 25

Hertz frequency: L Attenuation = 18

Freq.(Hz)/Attenuation Med./Dev. standard/Value APV:125/16.9/2.7/14.2;

Freq.(Hz)/Attenuation Med./Dev. standard/Value APV:250/16.4/2.2/14.2;

Freq.(Hz)/Attenuation Med./Dev. standard/Value APV:500/25.0/2.1/22.9;

Freq.(Hz)/Attenuation Med./Dev. standard/Value APV:1000/36.4/3.7/32.7;

Freq.(Hz)/Attenuation Med./Dev. standard/Value APV:2000/36.3/4.3/32.0;

Freq.(Hz)/Attenuation Med./Dev. standard/Value APV:4000/37.7/3.6/34.1;

Freq.(Hz)/Attenuation Med./Dev. standard/Value APV:8000/36.5/4.5/32.0;

The product is designed and manufactured to comply with the essential health and safety requirements of Directive 89/686/EEC, and to conform to the requirements of EN 352.

It is classified as PPE Cat. II.



Category II	Colours Black - Yellow	Available Sizes Unica
Quantity/Carton 24	Important Information Make sure the device is in good condition before use. Once you become aware of a damage, you should immediately replace it.	Recommended for Suitable for low noise level environments.
Dexterity	EC Standards EN 352 CE	Storage and cleaning Keep in a cool dry place, far from heat sources. Clean with a damp cloth and soapy water. Do not use any solvents.